

# 1206K NACHI 30x62x16mm

## Category Self Aligning Ball Bearings Self aligning ball bearings

Bearing number	1206K
Size (mm)	30x62x16
Brand	NACHI
Bore Diameter (mm)	30
Outer Diameter (mm)	62
Width (mm)	16
d	30 mm
D	62 mm
B	16 mm
C	16 mm
r1 min.	1 mm
da min.	35 mm
Da max.	47 mm
ra max.	1.0 mm
Weight	0.220 Kg
Basic dynamic load rating (C)	15.6 kN
Basic static load rating (C0)	4.65 kN
(Grease) Lubrication Speed	10000 r/min
(Oil) Lubrication Speed	12000 r/min
Calculation factor (e)	0.25
Calculation factor (Y0)	2.67

Calculation factor (Y1)	2.55
Category	Self Aligning Ball Bearings
BDI Inventory	0.0
Manufacturer Name	NACHI
Minimum Buy Quantity	N/A
Weight / Kilogram	0
Product Group – BDI	B00152
Mounting Method	Tapered Adapter
Enclosure	Open
Rolling Element	Ball Bearing
Adapter Sleeve	H-206X
Cage Material	Steel
Precision Class	ABEC 1   ISO P0
Internal Clearance	C0-Medium
Number of Rows of Balls	Double Row
Other Features	Allowable Misalignment 2.5 Deg   1:12 Taper
Long Description	30MM Bore; Tapered Adapter Mount; 62MM Outside Diameter; 16MM Inner Race Width; 16MM Outer Race Width; Open; Steel Cage; Double Row of Balls; ABEC 1   ISO P0; C0-Medium
Inch – Metric	Metric
Category – BDI	Self Aligning Ball Bearings
UNSPSC	31171532
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Self Aligning
Manufacturer URL	<a href="http://www.nachi.com">http://www.nachi.com</a>
Weight / LBS	0.48502

Outside Diameter	2.441 Inch   62 Millimeter
Outer Race Width	0.63 Inch   16 Millimeter
Inner Race Width	0.63 Inch   16 Millimeter
Bore	1.181 Inch   30 Millimeter