

# 1209K NACHI Other Features

## Allowable Misalignment 2.5 Deg | 1:12 Taper 45x85x19mm

### Self aligning ball bearings

Bearing number	1209K
Size (mm)	45x85x19
Brand	NACHI
Bore Diameter (mm)	45
Outer Diameter (mm)	85
Width (mm)	19
d	45 mm
D	85 mm
B	19 mm
C	19 mm
r1 min.	1.1 mm
da min.	51.5 mm
Da max.	78.5 mm
ra max.	1.0 mm
Weight	0.465 Kg
Basic dynamic load rating (C)	21.8 kN
Basic static load rating (C0)	7.35 kN
(Grease) Lubrication Speed	7000 r/min
(Oil) Lubrication Speed	8500 r/min
Calculation factor (e)	0.21
Calculation factor (Y0)	3.09

Calculation factor (Y1)	2.94
Category	Self Aligning Ball Bearings
BDI Inventory	0.0
Manufacturer Name	NACHI
Minimum Buy Quantity	N/A
Weight / Kilogram	0
Product Group – BDI	B00152
Mounting Method	Tapered Adapter
Enclosure	Open
Rolling Element	Ball Bearing
Adapter Sleeve	H-209X
Cage Material	Steel
Precision Class	ABEC 1   ISO P0
Internal Clearance	C0-Medium
Number of Rows of Balls	Double Row
Other Features	Allowable Misalignment 2.5 Deg   1:12 Taper
Long Description	45MM Bore; Tapered Adapter Mount; 85MM Outside Diameter; 19MM Inner Race Width; 19MM Outer Race Width; Open; Steel Cage; Double Row of Balls; ABEC 1   ISO P0; C0-Medium
Inch – Metric	Metric
Category – BDI	Self Aligning Ball Bearings
UNSPSC	31171532
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Self Aligning
Manufacturer URL	<a href="http://www.nachi.com">http://www.nachi.com</a>
Weight / LBS	1.02515

Bore	1.772 Inch   45 Millimeter
Outside Diameter	3.346 Inch   85 Millimeter
Inner Race Width	0.748 Inch   19 Millimeter
Outer Race Width	0.748 Inch   19 Millimeter