

# 1726212-2RS1 SKF 110x60x22mm radial dynamic load capacity: 52.7 kN Deep groove ball bearings

Bearing number	1726212-2RS1
Size (mm)	110x60x22
Brand	SKF
Bore Diameter (mm)	110
Outer Diameter (mm)	60
Width (mm)	22
d	60 mm
D	110 mm
B	22 mm
d <sub>1</sub>	75.5 mm
r <sub>1,2</sub> – min.	1.5 mm
Basic dynamic load rating – C	52.7 kN
Basic static load rating – C <sub>0</sub>	36 kN
Fatigue load limit – P <sub>u</sub>	1.5 kN
Limiting speed	4000 r/min
Calculation factor – f <sub>0</sub>	14
Category	Insert Bearings Spherical OD
BDI Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	0.75
EAN	7316570435030

Product Group – BDI	M06110
Inner Race Profile	Standard Inner Ring
Outer Race Profile	Spherical
Relubricatable	No
Seal Type	RS1 Seal
Mounting Method	Shaft Mount
Rolling Element	Ball Bearing
Snap Ring	No
Long Description	60MM Bore; Standard Inner Ring; Ball Bearing; 22MM Length Thru Bore; 22MM Outer Race Width; 110MM Outside Diameter; Not Relubricatable; RS1 Seal Seal; Shaft Mount Mounting Method; No Snap Ring
Inch – Metric	Metric
Other Features	Single Row   Standard Duty   Metric
Category – BDI	Insert Bearings
UNSPSC	31171536
Harmonized Tariff Code	8482.10.50.00
Noun	Bearing
Keyword String	Insert
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Manufacturer Item Number	1726212-2RS1
Weight / LBS	1.65
Bore	2.362 Inch   60 Millimeter
Outside Diameter	4.331 Inch   110 Millimeter
Length Thru Bore	0.866 Inch   22 Millimeter
Outer Race Width	0.866 Inch   22 Millimeter

bore diameter:	60 mm
radial static load capacity:	36 kN
outside diameter:	110 mm
finish/coating:	Uncoated
outer ring width:	22 mm
maximum rpm:	4000 RPM
bore type:	Round
seal type:	Contact/Lip
operating temperature range:	-40 to +210 °F
series:	17262
radial dynamic load capacity:	52.7 kN
$d_1 \approx$	75.5 mm
$r_{1,2} \text{ min.}$	1.5 mm
Basic dynamic load rating C	52.7 kN
Basic static load rating $C_0$	36 kN
Fatigue load limit $P_u$	1.53 kN
Limiting speed <sup>1)</sup>	4000 r/min
Calculation factor $f_0$	14
Mass complete bearing	0.77 kg