

210-KRR INA 50x90x30mm Long Description 50MM Bore; 90MM Outside Diameter; 20MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 | ISO P0; No Filling Slot; No Snap Ring; Extended Inner Ring Internal Special Features; C0-Medium Internal Clearance; 24MM Inner Race Width; Steel Cage Deep groove ball bearings

Bearing number	210-KRR
Size (mm)	50x90x30
Brand	INA
Bore Diameter (mm)	50
Outer Diameter (mm)	90
Width (mm)	30
d	50 mm
D	90 mm
B	30 mm
C	20 mm
C ₂	24 mm
D ₁	77.6 mm

d_1	62.8 mm
r_{\min}	1.1 mm
m	0.58 kg / Weight
$n_{G \text{ Fett}}$	4400 1/min / Limiting speed for grease lubrication
C_r	37500 N / Dynamic load rating (radial)
C_{0r}	23200 N / Static load rating (radial)
Category	Single Row Ball Bearings
BDI Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.695
EAN	4012802782295
Product Group – BDI	M06110
Enclosure	2 Seals
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	Extended Inner Ring
Cage Material	Steel
Enclosure Type	Contact Seal
Internal Clearance	C0-Medium
Inch – Metric	Metric

Long Description	50MM Bore; 90MM Outside Diameter; 20MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; Extended Inner Ring Internal Special Features; C0-Medium Internal Clearance; 24MM Inner Race Width; Steel Cage
Category – BDI	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	210-KRR
Weight / LBS	1.5312
Outside Diameter	3.543 Inch 90 Millimeter
Inner Race Width	0.945 Inch 24 Millimeter
Outer Race Width	0.787 Inch 20 Millimeter
Bore	1.969 Inch 50 Millimeter