

# 22317UAVS2 NTN 85x180x60mm outer ring width: 60 mm Thrust roller bearings

Bearing number	22317UAVS2
Size (mm)	85x180x60
Brand	NTN
Bore Diameter (mm)	85.000
Outer Diameter (mm)	180.000
Width (mm)	60.000
d	85.000 mm
D	180.000 mm
H	60.000 mm
Category	Spherical Roller Bearings
BDI Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	7.34
EAN	4547359270587
Product Group – BDI	B04311
Internal Clearance	C0-Medium
Mounting Method	Shaft Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Straight
Cage Material	Bronze
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes

Withdrawal Sleeve	Not Applicable
Withdrawal Nut	Not Applicable
Inch – Metric	Metric
Long Description	85MM Straight Bore; 180MM Outside Diameter; 60MM Width; C0-Medium Clearance; Shaft Mount; Double Row of Spherical Roller Bearings; Bronze Cage Material; Open Enclosure; Relubricatable
Category – BDI	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
Weight / LBS	16.177
Outside Diameter	7.087 Inch   180 Millimeter
Adapter Part Number	Not Applicable Inch   Not Applicable Millimeter
Bore	3.346 Inch   85 Millimeter
Width	2.362 Inch   60 Millimeter
bore diameter:	85 mm
operating temperature range:	-40 to 120 °C
outside diameter:	180 mm
cage material:	Brass
overall width:	60 mm
bearing material:	Through Hardened Steel
bore type:	Straight
cage type:	Machined

outer ring type:	Not Split
precision rating:	Not Rated
internal clearance:	Upper 2/3 of C4 range
finish/coating:	Uncoated
closure type:	Open
outer ring width:	60 mm
lubrication hole type:	Lubrication Groove & Hole
inner ring width:	60 mm
dynamic load capacity:	395000 N
fillet radius:	3 mm
static load capacity:	370000 N
series:	223
maximum rpm:	2300 rpm
manufacturer product page:	<a href="#">Click here</a>