

# 23130EMKW33 SNR Dynamic load, C 1.060 kN 150x250x80mm Thrust roller bearings

B	80 mm
D1	222.4 mm
rs min	2.1 mm
Number of lubrication holes	3
b	12.6 mm
k	6 mm
Associated sleeve reference	H3130
e	0.29
Y1	2.35
Y2	3.5
Y0	2.3
Radial clearance class	CN
Mass	15.72 kg
Dynamic load, C	1.060 kN
Static load, C0	1.350 kN
Fatigue limit load, Cu	93.6 kN
Nref	2.000 rpm
Nlim	2.600 rpm
Min operating temperature, Tmin	-40 °C
Max operating temperature, Tmax	200 °C
Characteristic cage frequency, FTF	0.43 Hz
Characteristic rolling element frequency, BSF	7.26 Hz
Characteristic outer ring frequency, BPF0	9.1 Hz
Characteristic inner ring frequency, BPF1	11.9 Hz

da min	162 mm
Da max	238 mm
ra max	2 mm
Bearing number	23130EMKW33
Size (mm)	150x250x80
Brand	SNR
Bore Diameter (mm)	150.000
Outer Diameter (mm)	250.000
Width (mm)	80.000
d	150.000 mm
D	250.000 mm
H	80.000 mm