

4107 INA 35x62x21mm C0a 67000 N / Static load rating (axial) Thrust ball bearings

| | |
|---------------------|--|
| Bearing number | 4107 |
| Size (mm) | 35x62x21 |
| Brand | INA |
| Bore Diameter (mm) | 35 |
| Outer Diameter (mm) | 62 |
| Width (mm) | 21 |
| d | 1.378 inch |
| d | 35 mm |
| D | 2.441 inch |
| D | 62 mm |
| T | 0.827 inch |
| T | 21 mm |
| D ₁ | 1.457 inch |
| R | 50 mm |
| m | 0.562 lbs / Weight |
| m | 0.255 kg / Weight |
| C _a | 7980 lbf / Dynamic load rating (axial) |
| C _a | 35500 N / Dynamic load rating (axial) |
| C _{0a} | 15100 lbf / Static load rating (axial) |
| C _{0a} | 67000 N / Static load rating (axial) |
| Category | Thrust Ball Bearing |

| | |
|----------------------------|---|
| BDI Inventory | 0.0 |
| Manufacturer Name | SCHAEFFLER GROUP |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 0.26 |
| Product Group – BDI | B00308 |
| Rolling Element | Ball Bearing |
| Thrust Bearing | Yes |
| Single or Double Direction | Single Direction |
| Banded | No |
| Cage Material | Steel |
| Precision Class | ABEC 1 ISO P0 |
| Component Description | Roller Assembly Plus Raceways |
| Optional Components | Order 4107AW Aligning Washer Separately |
| Other Features | Single Row Deep Groove Medium Cross Section Grooved Race Separable |
| Long Description | 35MM Bore 1; 37.008MM Bore 2; 62MM Outside Diameter; 21MM Height; Ball Bearing; Single Direction; Not Banded; Steel Cage; ABEC 1 ISO P0 Precision |
| Inch – Metric | Metric |
| Category – BDI | Thrust Ball Bearings |
| UNSPSC | 31171507 |
| Harmonized Tariff Code | 8482.10.50.08 |
| Noun | Bearing |
| Keyword String | Ball Thrust |
| Manufacturer URL | http://www.ina.com |

| | |
|-------------------------------------|--------------------------------|
| Manufacturer Item Number | 4107 |
| Weight / LBS | 0.562 |
| Bore 1 | 1.378 Inch 35 Millimeter |
| Height | 0.827 Inch 21 Millimeter |
| Bore 2 | 1.457 Inch 37.008 Millimeter |
| Overall Height with Aligning Washer | 0 Inch 0 Millimeter |
| Outside Diameter | 2.441 Inch 62 Millimeter |