

4113-AW INA Long Description

74MM Bore 1; 74MM Bore 2; 105MM Outside Diameter; 9MM Height; Single Direction; Not Banded 65x105x34mm Thrust ball bearings

| | |
|---------------------|-------------------|
| Bearing number | 4113-AW |
| Size (mm) | 65x105x34 |
| Brand | INA |
| Bore Diameter (mm) | 65 |
| Outer Diameter (mm) | 105 |
| Width (mm) | 34 |
| d | 2.559 inch |
| d | 65 mm |
| D ₃ | 4.134 inch |
| D ₃ | 105 mm |
| T ₁ | 1.339 inch |
| T ₁ | 34 mm |
| C | 0.354 inch |
| C | 9 mm |
| D ₁ | 2.638 inch |
| D ₂ | 2.913 inch |
| D ₂ | 74 mm |
| m | 0.42 lbs / Weight |

| | |
|----------------------------|--|
| m | 0.191 kg / Weight |
| C _a | 14800 lbf / Dynamic load rating (axial) |
| C _a | 66000 N / Dynamic load rating (axial) |
| C _{0a} | 36000 lbf / Static load rating (axial) |
| C _{0a} | 158000 N / Static load rating (axial) |
| Category | Thrust Ball Bearing |
| BDI Inventory | 0.0 |
| Manufacturer Name | SCHAEFFLER GROUP |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 0.228 |
| Product Group – BDI | B00308 |
| Rolling Element | None |
| Thrust Bearing | Yes |
| Single or Double Direction | Single Direction |
| Banded | No |
| Component Description | Aligning Washer Only |
| Optional Components | Order 4113 Bearing and Raceway Separately |
| Other Features | Single Row |
| Long Description | 74MM Bore 1; 74MM Bore 2; 105MM Outside Diameter; 9MM Height; Single Direction; Not Banded |
| Inch – Metric | Metric |
| Category – BDI | Thrust Ball Bearings |
| UNSPSC | 31171500 |
| Harmonized Tariff Code | 8482.99.25.80 |

| Noun | Washer |
|--|---|
| Keyword String | Aligning Thrust |
| Manufacturer URL | http://www.ina.com |
| Weight / LBS | 0.42 |
| Outside Diameter | 4.134 Inch 105 Millimeter |
| Height | 0.354 Inch 9 Millimeter |
| Bore 2 | 2.913 Inch 74 Millimeter |
| Bore 1 | 2.913 Inch 74 Millimeter |
| Overall Height with Aligning Washer | 0 Inch 0 Millimeter |