

4413 INA Long Description
1-1/4" Bore 1; 1-9/32" Bore
2; 2-5/16" Outside Diameter;
3/4" Height; Ball Bearing;
Single Direction; Not Banded;
Steel Cage; ABEC 1 | ISO P0
Precision 31.75×58.75×19.05mm
Thrust ball bearings

Bearing number	4413
Size (mm)	31.75×58.75×19.05
Brand	INA
Bore Diameter (mm)	31.75
Outer Diameter (mm)	58.75
Width (mm)	19.05
d	1 1/4 inch
d	31.75 mm
D	2.313 inch
D	58.75 mm
T	0.75 inch
T	19.05 mm
D ₁	32.537 mm
D ₁	1.281 inch
m	0.483 lbs / Weight
m	0.219 kg / Weight

C_a	5960 lbf / Dynamic load rating (axial)
C_a	26500 N / Dynamic load rating (axial)
C_{0a}	11240 lbf / Static load rating (axial)
C_{0a}	50000 N / Static load rating (axial)
Category	Thrust Ball Bearing
BDI Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.22
EAN	4012802029611
Product Group – BDI	B00308
Rolling Element	Ball Bearing
Thrust Bearing	Yes
Single or Double Direction	Single Direction
Banded	No
Cage Material	Steel
Precision Class	ABEC 1 ISO P0
Component Description	Roller Assembly Plus Raceways
Other Features	Single Row Deep Groove Medium Cross Section Grooved Race Separable
Long Description	1-1/4" Bore 1; 1-9/32" Bore 2; 2-5/16" Outside Diameter; 3/4" Height; Ball Bearing; Single Direction; Not Banded; Steel Cage; ABEC 1 ISO P0 Precision
Inch – Metric	Inch

Category – BDI	Thrust Ball Bearings
UNSPSC	31171507
Harmonized Tariff Code	8482.10.50.08
Noun	Bearing
Keyword String	Ball Thrust
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	4413
Weight / LBS	0.483
Bore 2	1.281 Inch 32.537 Millimeter
Bore 1	1.25 Inch 31.75 Millimeter
Overall Height with Aligning Washer	0 Inch 0 Millimeter
Height	0.75 Inch 19.05 Millimeter
Outside Diameter	2.313 Inch 58.75 Millimeter