

AST 23936MBK spherical roller bearings

With over 10170 full-service stores, our AST 23936MBK spherical roller bearings inventory is extensive 17 mm d and our parts are priced right. within 24 hours. This helps you maximize your productivity by saving time and your hard-earned dollars.

d	17 mm
D	47 mm
B	14 mm
rs min	1 mm
Radial clearance class	C4
Mass	0.12 kg
Dynamic load, C	13.5 kN
Static load, C0	6.55 kN
Fatigue limit load, Cu	0.3 kN
f0	12.2
Nlim (oil)	19,000 rpm
Nlim (grease)	16,000 rpm
Min operating temperature, Tmin	-60 °C
Characteristic cage frequency, FTF	0.36 Hz
Characteristic rolling element frequency, BSF	3.39 Hz
Characteristic outer ring frequency, BPF0	2.54 Hz
Characteristic inner ring frequency, BPFI	4.46 Hz

da min	22 mm
Da max	42 mm
ra max	1 mm
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.122
EAN	4547359382310
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C4-Extra Loose
Inch – Metric	Metric
Long Description	17MM Bore; 47MM Outside Diameter; 14MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Fil
Other Features	Deep Groove
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Weight / LBS	0.2403
Inner Race Width	0 Inch 0 Millimeter
Bore	0.669 Inch 17 Millimeter

Outer Race Width	0.551 Inch 14 Millimeter
Outside Diameter	1.85 Inch 47 Millimeter