

# AST 71818AC angular contact ball bearings

100% Authentic. AST 71818AC angular contact ball bearings Highest Quality. Certified 9.0 Inventory Supplier.

Inventory	9.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	1.257 lb
EAN	0087796056817
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	3/8 Inch
Relubricatable	Yes
Insert Part Number	GYA012RRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Inch – Metric	Inch
Other Features	Single Row   Spherical   Normal Duty   High Base
Long Description	2 Bolt Pillow Block; 3/4" Bore; 1-5/16" Base to Center Height; Set Screw Mount; Ball Beari

UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer Item Number	SAS 3/4
Weight / LBS	1.25
B	1.313 Inch   33.35 Millimeter
d	0.75 Inch   19.05 Millimeter
Bolt Spacing Minimum	0 Inch   0Millimeter
Actual Bolt Center to Center	3.8 Inch   96Millimeter
Bolt Spacing Maximum	0 Inch   0Millimeter
Nominal Bolt Center to Center	3.8 Inch   97 Millimeter
D	1.063 Inch   27 Millimeter
Shaft Size d	3/4 in
Bearing Type	Ball Bearing
Inside Ring Outside Diameter	1.122 in
Dimension T	0.626 in
Dimension D1	1.142 in
Series	Standard
Seal Type	Narrow Shroud
Base to Center Height H	33.34 mm
Total Length L	127.00 mm
Total Width A	1.252 in
Bolt Hole Spacing J	96 mm
Bolt Hole Width N	11.1 mm
Bolt Hole Length N1	19.8 mm
Foot Height H1	13.5 mm
Total Height H2	64.3 mm
Dimension L1	42.3 mm

Inside Ring Width B	=Bearings1_Inside Ring Width= mm
Center of Bearing from End S	8.7 mm
Dimension B1	1.063 in
Static Load Rating	1460 lbf
Dynamic Load Rating	3190 lbf