

AST AST090 2210 plain bearings

Our highly-skilled and factory-trained service experts have the resources to help you N/A Minimum Buy Quantity with all your AST AST090 2210 plain bearings needs – including routine maintenance, major repairs, warranty service, and 0.0 Inventory equipment inspections.

Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.5
EAN	4547359007381
Product Group	M06110
Number of Mounting Holes	3
Mounting Method	Set Screw
Housing Style	3 Bolt Round Flange Block
Rolling Element	Ball Bearing
Housing Material	Stamped Steel
Expansion / Non-expansion	Non-expansion
Mounting Bolts	10 Millimeter
Relubricatable	No
Insert Part Number	AS206
Seals	Single Lip Contour Riding
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch – Metric	Metric

Long Description	3 Bolt Round Flange Block; 30MM Bore; 90.5MM Bolt Circle; 78.5MM Bolt Spacing; 1 Piece Solid; Set Sc
Other Features	Single Row Light Duty Narrow Inner Race
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	ASPF206
Weight / LBS	1.1
Nominal Bolt Circle Diameter Round	3.6 Inch 90.5 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter
Bolt Spacing	3.1 Inch 78.5 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter
D	1.142 Inch 29 Millimeter
d	1.181 Inch 30 Millimeter
bore diameter:	30 mm
expansion type:	Non-Expansion Bearing (Fixed)
bolt circle diameter:	3.5313 in
radial dynamic load capacity:	4400 lb
overall length/diameter:	4.4375 in
radial static load capacity:	2540 lb
bore type:	Round
length through bore:	29 mm
duty type:	Light Duty

finish/coating:	Uncoated
mounting type:	Three-Bolt Round
series:	ASPF2
housing material:	Steel
standards met:	ISO, AFBMA
locking device:	Set Screw
replacement bearing:	AS206