

# AST ASTT90 10590 plain bearings

What is the 110x170x60 Size (mm) best place to buy AST ASTT90 10590 plain bearings online? Manufacturing Service .

Size (mm)	110x170x60
Bore Diameter (mm)	110
Outer Diameter (mm)	170
Width (mm)	60
d	110 mm
D	170 mm
T	60 mm
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	4.504
EAN	4547359454697
Product Group	B04270
Enclosure	Open
Precision Class	ABEC 7   ISO P4
Material – Ball	Steel
Number of Bearings	1 (Single)
Contact Angle	45 Degree
Preload	Light
Raceway Style	Not Applicable
Cage Material	Brass
Rolling Element	Ball Bearing
Mounting Arrangement	Universal

Flush Ground	Yes
Inch – Metric	Metric
Other Features	Double Row   Angular Contact Thrust Bearing   Double Direction
Long Description	120MM Bore; 180MM Outside Diameter; 60MM Width; Open Enclosure; ABEC 7   ISO P4 Precision; Steel Bal
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword 3	Thrust
Keyword String	Ball Angular Contact Thrust
Manufacturer Item Number	742024/GNP4
Weight / LBS	9.921
Bore	4.724 Inch   120 Millimeter
Width	2.362 Inch   60 Millimeter
Outside Diameter	7.087 Inch   180 Millimeter
bore diameter:	120 mm
dynamic load capacity:	87000 N
outside diameter:	180 mm
operating temperature range:	-40 to 120 °C
overall width:	60 mm
maximum rpm:	3800 rpm
thrust bearing type:	Double-Direction
bearing material:	High Carbon Chrome Steel
outside diameter design:	Straight
cage material:	Brass
separable or banded:	Separable

fillet radius:	2 mm
precision rating:	ISO Class 4
series:	742
static load capacity:	223000 N
manufacturer product page:	<a href="#">Click here</a>