

AST GEG70ES plain bearings

With over 10170 full-service stores, our AST GEG70ES plain bearings inventory is extensive and our parts are priced right. within 24 hours. This helps you maximize your productivity by saving time and your hard-earned 50,8 Bore Diameter (mm) dollars.

Bore Diameter (mm)	50,8
Width (mm)	55,6
d	50,8 mm
s1	33,4 mm
A1	47,6 mm
B	55,6 mm
G	16 mm
H	216 mm
J	184,2 mm
L	127 mm
N	19 mm
T	62,8 mm
A2	20,6 mm
Weight	3,45 Kg
Basic dynamic load rating (C)	43,6 kN
Basic static load rating (C0)	29 kN
Fatigue load limit (Pu)	1,25
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	3.348
EAN	7316577755452

Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	5/8 Inch
Relubricatable	Yes
Insert Part Number	YAR 211-200-2F
Seals	M Seal
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch – Metric	Inch
Long Description	2 Bolt Flange Block; 2" Bore; 7.3" Bolt Circle; 7-1/4" Bolt Spacing; 1 Piece Solid; S
Other Features	Single Row Standard Duty Wide Inner Race Open End Has Flinger Y Bearing
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	FYT 2. TF
Weight / LBS	6.6
Bolt Spacing	7.25 Inch 184.15 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Nominal Bolt Circle Diameter Round	7.3 Inch 184.2 Millimeter

Bore	2 Inch 50.8 Millimeter
Length Thru Bore	2.188 Inch 55.575 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter