

AST H71926AC angular contact ball bearings

170 Million used AST H71926AC angular contact ball bearings instantly searchable. Shop our large selection of parts 30x62x16 Size (mm) based on brand, price, description, and location. Order the with stock ...

Size (mm)	30x62x16
Bore Diameter (mm)	30
Outer Diameter (mm)	62
Width (mm)	16
d	30 mm
D	62 mm
B	16 mm
C	16 mm
ra1 max.	0,6 mm
Angle (α)	40 °
a	27,5 mm
r min.	1 mm
r1 min.	0,6 mm
2B	32 mm
da min.	35,5 mm
ra max.	1 mm
Db max	57,5 mm
Weight	0,394 Kg
Basic dynamic load rating (C)	33,5 kN
Basic static load rating (C0)	27,1 kN
(Grease) Lubrication Speed	8 600 r/min

Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.397
EAN	4547359439113
Product Group	B00308
Enclosure	Open
Flush Ground	Yes
Rolling Element	Ball Bearing
Number of Rows of Balls	Single Row
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	40 Degree
Internal Clearance	C0-Medium
Number of Bearings	2 (1 Pair)
Mounting Arrangement	Duplex-Back to Back
Inch – Metric	Metric
Long Description	30MM Bore; 62MM Outside Diameter; 32MM Width; Open; Yes Flush Ground; Ball Bearing; Single Row of Ba
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer Item Number	7206BDB
Weight / LBS	0.877
Outside Diameter	2.441 Inch 62 Millimeter

Bore	1.181 Inch 30 Millimeter
Width	1.26 Inch 32 Millimeter