

# AST NUP2305 E cylindrical roller bearings

AST NUP2305 E cylindrical roller bearings with easy-to-use parts graphics, giving you the ability to 35x55x20 Size (mm) check parts availability, pricing, examine remanufactured options.

Size (mm)	35x55x20
Bore Diameter (mm)	35
Outer Diameter (mm)	55
Width (mm)	20
d	35 mm
D	55 mm
B	20 mm
Da	47,5 mm
Db	40,6 mm
da	39,5 mm
db	46,2 mm
E	47 mm
F	40 mm
ra max	0,3 mm
rmin	0,3 mm
s	0,8 mm / Axial displacement
m	190 g / Weight
Cr	37000 N / Dynamic load rating (radial)
C0r	57000 N / Static load rating (radial)
Cur	8900 N / Fatigue limit load, radial

nG	11300 1/min / Limiting speed
nB	5900 1/min / Reference speed
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.19
EAN	4012801034944
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Complete with Outer and Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	Inner/Outer Ring – Both Sides
Closed End	No
Inch – Metric	Metric
Relubricatable	No
Thrust Bearing	No
Long Description	35MM Bore; 55MM Outside Diameter; 20MM Width; Needle Roller Bearing; Complete with Outer and Inner R
Other Features	Plain Inner Ring   Plain Outer Ring   Precision   Steel Cage   Ground Raceway
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer Item Number	NA035X55X20

Weight / LBS	0.419
Width	0.787 Inch   20 Millimeter
Outside Diameter	2.165 Inch   55 Millimeter
Bore	1.378 Inch   35 Millimeter