

# CYSD 6805-ZZ deep groove ball bearings

CYSD 6805-ZZ deep groove ball bearings Warehouse offers car parts and car accessories. We sell discount online as well as 30 mm d cheap machinery parts.

d	30 mm
D	62 mm
B	16 mm
rs min	1 mm
Radial clearance class	C3
Mass	0.2 kg
Dynamic load, C	19.5 kN
Static load, C <sub>0</sub>	11.3 kN
Fatigue limit load, C <sub>u</sub>	0.51 kN
f <sub>0</sub>	13.8
N <sub>lim</sub> (grease)	11,000 rpm
Min operating temperature, T <sub>min</sub>	-30 °C
Max operating temperature, T <sub>max</sub>	175 °C
Characteristic cage frequency, FTF	0.4 Hz
Characteristic rolling element frequency, BSF	4.68 Hz
Characteristic outer ring frequency, BPF <sub>0</sub>	3.58 Hz
Characteristic inner ring frequency, BRF <sub>0</sub>	5.42 Hz
da min	35 mm
Da max	57 mm

ra max	1 mm
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0
EAN	4547359010770
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C3-Loose
Inch – Metric	Metric
Long Description	30MM Bore; 62MM Outside Diameter; 16MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1   ISO
Other Features	Deep Groove   Chevron SRI2 Prelubricated
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Weight / LBS	0.439
Outer Race Width	0.63 Inch   16 Millimeter
Inner Race Width	0 Inch   0 Millimeter
Outside Diameter	2.441 Inch   62 Millimeter

Bore	1.181 Inch   30 Millimeter
------	----------------------------