

CYSD 6805-ZZ deep groove ball bearings

CYSD 6805-ZZ deep groove ball bearings Warehouse offers car parts and car accessories. We sell discount online as well as 30 mm d cheap machinery parts.

| | |
|---|------------|
| d | 30 mm |
| D | 62 mm |
| B | 16 mm |
| rs min | 1 mm |
| Radial clearance class | C3 |
| Mass | 0.2 kg |
| Dynamic load, C | 19.5 kN |
| Static load, C ₀ | 11.3 kN |
| Fatigue limit load, C _u | 0.51 kN |
| f ₀ | 13.8 |
| N _{lim} (grease) | 11,000 rpm |
| Min operating temperature, T _{min} | -30 °C |
| Max operating temperature, T _{max} | 175 °C |
| Characteristic cage frequency, FTF | 0.4 Hz |
| Characteristic rolling element frequency, BSF | 4.68 Hz |
| Characteristic outer ring frequency, BPF ₀ | 3.58 Hz |
| Characteristic inner ring frequency, BRF ₀ | 5.42 Hz |
| da min | 35 mm |
| Da max | 57 mm |

| | |
|---------------------------------|--|
| ra max | 1 mm |
| Inventory | 0.0 |
| Manufacturer Name | NTN |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 0 |
| EAN | 4547359010770 |
| Product Group | B00308 |
| Enclosure | 2 Metal Shields |
| Precision Class | ABEC 1 ISO P0 |
| Maximum Capacity / Filling Slot | No |
| Rolling Element | Ball Bearing |
| Snap Ring | No |
| Internal Special Features | No |
| Cage Material | Steel |
| Internal Clearance | C3-Loose |
| Inch – Metric | Metric |
| Long Description | 30MM Bore; 62MM Outside Diameter; 16MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1 ISO |
| Other Features | Deep Groove Chevron SRI2 Prelubricated |
| UNSPSC | 31171504 |
| Harmonized Tariff Code | 8482.10.50.68 |
| Noun | Bearing |
| Keyword String | Ball |
| Weight / LBS | 0.439 |
| Outer Race Width | 0.63 Inch 16 Millimeter |
| Inner Race Width | 0 Inch 0 Millimeter |
| Outside Diameter | 2.441 Inch 62 Millimeter |

| | |
|------|----------------------------|
| Bore | 1.181 Inch 30 Millimeter |
|------|----------------------------|