

Double-Row Crossed Roller Slewing Bearing

9e-2z25-0677-0880

With over 10170 full-service stores, our Double-Row Crossed Roller Slewing Bearing 9e-2z25-0677-0880 inventory is N/A Minimum Buy Quantity extensive and our 0.0 Inventory parts are priced right. within 24 hours. This helps you maximize your productivity by saving time and your hard-earned dollars.

Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	15.073
EAN	0053893751610
Product Group	B04144
Bore Profile	Straight
Cage Material	Brass
Precision Class	RBEC 1 ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring – One Side
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C0-Medium
Retainer	Yes
Relubricatable	Yes
Inch – Metric	Metric

Other Features	High Capacity 1 Rib Inner Ring 2 Rib Outer Ring Cage on Outer Ring ID
Long Description	140MM Bore; Straight Bore Profile; 250MM Outside Diameter; 68MM Width; Brass Cage Material; RBEC 1
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer Item Number	NJ2228EMA
Weight / LBS	33.2
B	2.677 Inch 68 Millimeter
d	5.512 Inch 140 Millimeter
D	9.843 Inch 250 Millimeter
Design Units	METRIC
Bearing Weight	15.10 Kg
Type	NJ
Tapered Bore	N
d – Bore	140 mm
D – Outer Diameter	250 mm
C – Inner Ring Width	68.000 mm
B – Outer Ring Width	68.000 mm
C0 – Static Radial Rating	850000 N
C – Dynamic Radial Rating ¹	650000 N
Reference Thermal Speed Rating (Grease)	1800
Reference Thermal Speed Rating (Oil) ²	2100
Cg – Geometry Factor ³	0.1366

R – Inner Ring To Clear Radius ⁴	2.500 mm
r – Outer Ring To Clear Radius ⁵	2.500 mm
da – Inner Ring Backing Diameter	160.000 mm
Da – Outer Ring Backing Diameter	0.000 mm