

# FAG 23132-E1-TVPB spherical roller bearings

Can't find what you're looking for FAG 23132-E1-TVPB spherical roller bearings ? Our 19.05 Bore Diameter (mm) expert Representatives be in contact with you shortly! 112 mm Da

|                               |               |
|-------------------------------|---------------|
| Bore Diameter (mm)            | 19.05         |
| d                             | 19.05 mm      |
| Da                            | 112 mm        |
| s1                            | 37,8 mm       |
| A1                            | 24,6 mm       |
| B1                            | 31 mm         |
| G                             | 23,5 mm       |
| H                             | 89,7 mm       |
| J                             | 60,3 mm       |
| L                             | 11,1 mm       |
| N                             | 10 mm         |
| T                             | 12,7 mm       |
| A2                            | 11,1 mm       |
| Weight                        | 0,53 Kg       |
| Basic dynamic load rating (C) | 6,55 kN       |
| Basic static load rating (C0) | 0,28 kN       |
| Inventory                     | 0.0           |
| Manufacturer Name             | SKF           |
| Minimum Buy Quantity          | N/A           |
| Weight / Kilogram             | 0.45          |
| EAN                           | 7316576614514 |
| Product Group                 | M06110        |

|                                    |   |
|------------------------------------|---|
| Number of Mounting Holes           | 2   |
| Mounting Method                    | Eccentric Collar  |
| Housing Style                      | 2 Bolt Flange Block   |
| Rolling Element                    | Ball Bearing  |
| Housing Material                   | Cast Iron   |
| Expansion / Non-expansion          | Non-expansion   |
| Mounting Bolts                     | 3/8 Inch  |
| Relubricatable                     | Yes   |
| Insert Part Number                 | YET 204-012   |
| Seals                              | M Seal  |
| Housing Configuration              | 1 Piece Solid   |
| Pilot Configuration                | No Pilot  |
| Inch – Metric                      | Inch  |
| Long Description                   | 2 Bolt Flange Block; 3/4" Bore; 3-1/2" Bolt Circle; 3-17/32" Bolt Spacing; 1 Piece So |
| Other Features                     | Single Row   Standard Duty   Narrow Inner Race   Open End   Y Bearing                 |
| UNSPSC                             | 31171501  |
| Harmonized Tariff Code             | 8483.20.40.40   |
| Noun                               | Bearing   |
| Keyword String                     | Flanged   |
| Manufacturer Item Number           | FYT 3/4 FM  |
| Weight / LBS                       | 1   |
| Nominal Bolt Circle Diameter Round | 3.5 Inch   90 Millimeter  |
| Cartridge Pilot Diameter           | 0 Inch   0 Millimeter   |
| Bolt Spacing                       | 3.531 Inch   89.7 Millimeter  |

|                       |                                   |
|-----------------------|-----------------------------------|
| Cartridge Pilot Depth | 0 Inch   0 Millimeter             |
| Bore                  | 0.75 Inch   19.05 Millimeter      |
| Length Thru Bore      | 1.234 Inch   31.344<br>Millimeter |