

FAG 23232-E1-K-TVPB + AH3232G spherical roller bearings

Advance 950 Outer Diameter (mm) FAG 23232-E1-K-TVPB + AH3232G spherical roller bearings is your source for quality and accessories. shop 1360x950x300 Size (mm) online for home delivery or pick up in one of our 10000 .

| | |
|-------------------------------|--------------|
| Size (mm) | 1360x950x300 |
| Bore Diameter (mm) | 1360 |
| Outer Diameter (mm) | 950 |
| Width (mm) | 300 |
| d | 950 mm |
| D | 1360 mm |
| B | 300 mm |
| d2 | 1086 mm |
| D1 | 1246 mm |
| b | 22.3 mm |
| K | 12 mm |
| r1,2 – min. | 7.5 mm |
| da – min. | 978 mm |
| Da – max. | 1332 mm |
| ra – max. | 6 mm |
| Basic dynamic load rating – C | 14363 kN |
| Basic static load rating – C0 | 28500 kN |
| Fatigue load limit – Pu | 1600 kN |
| Reference speed | 200 r/min |
| Limiting speed | 380 r/min |
| Calculation factor – e | 0.2 |

| | |
|-----------------------------|----------|
| Calculation factor – Y1 | 3.4 |
| Calculation factor – Y2 | 5 |
| Calculation factor – Y0 | 3.2 |
| d2 ≈ | 1086 mm |
| D1 ≈ | 1246 mm |
| r1,2 min. | 7.5 mm |
| da min. | 978 mm |
| Da max. | 1332 mm |
| ra max. | 6 mm |
| Basic dynamic load rating C | 14363 kN |
| Basic static load rating C0 | 28500 kN |
| Fatigue load limit Pu | 1600 kN |
| Calculation factor e | 0.2 |
| Calculation factor Y1 | 3.4 |
| Calculation factor Y2 | 5 |
| Calculation factor Y0 | 3.2 |
| Mass bearing | 1450 kg |