

FAG 24056-B-K30-MB+AH24056 spherical roller bearings

Online shopping FAG 24056-B-K30-MB+AH24056 spherical roller bearings from a great 60x95x18 Size (mm) selection at 95 Outer Diameter (mm) Store. ... Accessories.

Size (mm)	60x95x18
Bore Diameter (mm)	60
Outer Diameter (mm)	95
Width (mm)	18
d	60 mm
Fw	69,5 mm
D	95 mm
B	18 mm
C	18 mm
r min.	1,1 mm
r1 min.	1 mm
Weight	0,474 Kg
Basic dynamic load rating (C)	40 kN
Basic static load rating (C0)	48,5 kN
(Grease) Lubrication Speed	7 500 r/min
E	85.5 mm
F	69.5 mm
rs min	1.1 mm
r1s min	1 mm
Radial clearance class	CN
Mass (without HJ ring)	0.47 kg
Dynamic load, C	40 kN

Static load, C0	48.5 kN
Fatigue limit load, Cu	5.9 kN
Nlim (oil)	8,800 rpm
Nlim (grease)	7,500 rpm
Min operating temperature, Tmin	-40 °C
Max operating temperature, Tmax	120 °C
Characteristic cage frequency, FTF	0.45 Hz
Characteristic rolling element frequency, BSF	9.58 Hz
Characteristic outer ring frequency, BPF0	9.86 Hz
Characteristic inner ring frequency, BRFI	12.14 Hz
da min	65 mm
da max	68 mm
db min	71 mm
Da max	88.5 mm
ra max	1 mm
r1a max	1 mm
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.48
EAN	4547359136982
Product Group	B04144
Bore Profile	Straight
Cage Material	Steel
Precision Class	RBEC 1 ISO P0
Number of Rows of Rollers	Single Row

Separable	Inner Ring – Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C0-Medium
Retainer	Yes
Relubricatable	Yes
Inch – Metric	Metric
Other Features	Plain Inner Ring 2 Rib Outer Ring Cage On Outer Ring ID
Long Description	60MM Bore; Straight Bore Profile; 95MM Outside Diameter; 18MM Width; Steel Cage Material; RBEC 1
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer Item Number	NU1012
Weight / LBS	1.048
Bore	2.362 Inch 60 Millimeter
Width	0.709 Inch 18 Millimeter
Outside Diameter	3.74 Inch 95 Millimeter