

FAG 713644010 wheel bearings

Manufacturers 40 Outer Diameter (mm) of 17x40x12 Size (mm) all are represented in our partial list of clients. 17 Bore Diameter (mm) Contact Gary for a complete FAG 713644010 wheel bearings list of clients and projects.

Size (mm)	17x40x12
Bore Diameter (mm)	17
Outer Diameter (mm)	40
Width (mm)	12
d	17 mm
D	40 mm
B	12 mm
C	12 mm
rn	0,5 mm
a	2,06 mm
b	1,35 mm
f	1,12 mm
r min.	0,6 mm
r0 max.	0,4 mm
D1	38,1 mm
D2	44,6 mm
da min.	21 mm
da max	23,5 mm
Da max.	36 mm
ra max.	0,6 mm
Weight	0,067 Kg
Basic dynamic load rating (C)	9,55 kN
Basic static load rating (C0)	4,8 kN

(Grease) Lubrication Speed	17 000 r/min
(Oil) Lubrication Speed	20 000 r/min
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0.03
EAN	0029176034565
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	Yes
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	17MM Bore; 40MM Outside Diameter; 12MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	6203NR
Weight / LBS	0.065
Bore	0.669 Inch 17 Millimeter
Outer Race Width	0.472 Inch 12 Millimeter
Outside Diameter	1.575 Inch 40 Millimeter

SRI	3.41
hidYobi	6203NR
LangID	1
ro	0.4
D_	40
SREX	0.04
B_	12
da min	21
hidTable	ecat_NSRDGB
Oil rpm	20000
SRE	3.58
Cy	2.9
mass	0.067
GRS rpm	17000
ra	0.6
SRIX	0.02
D_a	36
SRIN	0
C0	4.8
fo	13.2
SREN	0
DE_	35.747
Prod_Type3	DGBB_SR_NR_OT
DA_	6.747
bomp	0
Z_	8
yobi	6203NR
Dx	45.5
C_conv	9550

ALPHA_	0
SDM_	29
r	0.6
KBRG	6101
SBRG	2
DI_	22.253