

FAG 713649330 wheel bearings

Online shopping 78 Outer Diameter (mm) FAG 713649330 wheel bearings from a great 60 Bore Diameter (mm) selection at Store. ... 60x78x10 Size (mm) Accessories.

| | |
|-------------------------------|---------------|
| Size (mm) | 60x78x10 |
| Bore Diameter (mm) | 60 |
| Outer Diameter (mm) | 78 |
| Width (mm) | 10 |
| d | 60 mm |
| D | 78 mm |
| B | 10 mm |
| C | 10 mm |
| r min. | 0,3 mm |
| da min. | 62 mm |
| da max | 64 mm |
| Da max. | 76 mm |
| ra max. | 0,3 mm |
| Weight | 0,103 Kg |
| Basic dynamic load rating (C) | 11,5 kN |
| Basic static load rating (C0) | 10,9 kN |
| (Grease) Lubrication Speed | 8 000 r/min |
| Inventory | 0.0 |
| Manufacturer Name | NSK |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 0.112 |
| EAN | 0029176425806 |
| Product Group | B00308 |

| | |
|---------------------------------|--|
| Enclosure | 2 Metal Shields |
| Precision Class | ABEC 1 ISO P0 |
| Maximum Capacity / Filling Slot | No |
| Rolling Element | Ball Bearing |
| Snap Ring | No |
| Internal Special Features | No |
| Cage Material | Steel |
| Internal Clearance | C0-Medium |
| Inch – Metric | Metric |
| Long Description | 60MM Bore; 78MM Outside Diameter; 10MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1 ISO |
| Other Features | Deep Groove |
| UNSPSC | 31171504 |
| Harmonized Tariff Code | 8482.10.50.68 |
| Noun | Bearing |
| Keyword String | Ball |
| Weight / LBS | 0.2271 |
| Outer Race Width | 0.394 Inch 10 Millimeter |
| Bore | 2.362 Inch 60 Millimeter |
| Outside Diameter | 3.071 Inch 78 Millimeter |
| Inner Race Width | 0 Inch 0 Millimeter |
| SRI | 2.88 |
| hidYobi | 6812ZZ |
| LangID | 1 |
| D_ | 78 |
| SREX | 0.015 |
| B_ | 10 |
| da min | 62 |

| | |
|------------|-------------|
| hidTable | ecat_NSRDGB |
| SRE | 2.88 |
| mass | 0.103 |
| GRS rpm | 8000 |
| ra | 0.3 |
| SRIX | 0.015 |
| D_a | 76 |
| SRIN | -0.015 |
| C0 | 10.9 |
| fo | 16.9 |
| SREN | -0.015 |
| DE_ | 74.556 |
| Prod_Type3 | DGBB_SR_ZZ |
| DA_ | 5.556 |
| bomp | 0 |
| Z_ | 21 |
| yobi | 6812ZZ |
| C_conv | 11500 |
| ALPHA_ | 0 |
| SDM_ | 69 |
| r | 0.3 |
| KBRG | 6141 |
| SBRG | 18 |
| DI_ | 63.444 |