

FAG 713660410 wheel bearings

offers a 26 Bore Diameter (mm) FAG 713660410 wheel bearings selection of 26x17x5 Size (mm) Genuine at Wholesale Prices. We are a FAG 713660410 wheel bearings Certified Parts Retailer

Size (mm)	26x17x5
Bore Diameter (mm)	26
Outer Diameter (mm)	17
Width (mm)	5
d	17 mm
D	26 mm
B	5 mm
d1	19.8 mm
D2	24.15 mm
r1,2 – min.	0.3 mm
da – min.	18 mm
da – max.	18.6 mm
Da – max.	24 mm
ra – max.	0.3 mm
Basic dynamic load rating – C	2 kN
Basic static load rating – C0	1.3 kN
Fatigue load limit – Pu	0.054 kN
Limiting speed	16000 r/min
Calculation factor – kr	0.015
Calculation factor – f0	14.1
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A

Weight / Kilogram	0.01
EAN	7316577611536
Product Group	B00308
Enclosure	2 Seals
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Contact Seal
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	17MM Bore; 26MM Outside Diameter; 5MM Outer Race Diameter; 2 Seals; Ball Bearing; ABEC 1 ISO P0; N
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	61803 2RS1
Weight / LBS	0.02
Outside Diameter	1.024 Inch 26 Millimeter
Outer Race Width	0.197 Inch 5 Millimeter
Bore	0.669 Inch 17 Millimeter
bore diameter:	17 mm
static load capacity:	1.27 kN
outside diameter:	26 mm
precision rating:	Not Rated

overall width:	5 mm
finish/coating:	Uncoated
bore type:	Round
cage material:	Steel
closure type:	Double Sealed
outer ring width:	5 mm
row type & fill slot:	Single Row Non-Fill Slot
fillet radius:	0.3 mm
internal clearance:	C0
maximum rpm:	16000 RPM
operating temperature range:	-40 to +210 °F
series:	61
dynamic load capacity:	2.03 kN
d1 ≈	19.8 mm
D2 ≈	0 mm
r1,2 min.	0.3 mm
da min.	18 mm
da max.	18.6 mm
Da max.	24 mm
ra max.	0.3 mm
Basic dynamic load rating C	2.03 kN
Basic static load rating C0	1.27 kN
Fatigue load limit Pu	0.054 kN
Calculation factor kr	0.015
Calculation factor f0	14.1
Mass bearing	0.0082 kg