

FAG 7312-B-TVP angular contact ball bearings

170 Million used FAG 7312-B-TVP angular contact ball bearings instantly searchable. Shop our 25 mm d large selection of parts based 15 mm B on brand, price, 52 mm D description, and location. Order the with stock ...

d	25 mm
D	52 mm
B	15 mm
rs min	1 mm
Radial clearance class	C2
Mass	0.13 kg
Dynamic load, C	14 kN
Static load, C ₀	7.85 kN
Fatigue limit load, C _u	0.36 kN
f ₀	13.9
N _{lim} (grease)	13,000 rpm
Min operating temperature, T _{min}	-25 °C
Max operating temperature, T _{max}	110 °C
Characteristic cage frequency, FTF	0.4 Hz
Characteristic rolling element frequency, BSF	4.71 Hz
Characteristic outer ring frequency, BPF ₀	3.58 Hz
Characteristic inner ring frequency, BRF ₀	5.42 Hz
da min	30 mm

da max	32 mm
Da max	47 mm
ra max	1 mm
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.128
Product Group	B00308
Enclosure	2 Seals
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Non-Contact Seal
Internal Clearance	C2-Snug
Inch – Metric	Metric
Long Description	25MM Bore; 52MM Outside Diameter; 15MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No
Other Features	Deep Groove Non-Friction Nitrile Rubber Seal Chevron SRI2 Prelubricated
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball

Weight / LBS	0.282
Outside Diameter	2.047 Inch 52 Millimeter
Bore	0.984 Inch 25 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Outer Race Width	0.591 Inch 15 Millimeter