

FAG B71940-C-T-P4S angular contact ball bearings

Manufacturers of all are represented 75x130x25 Size (mm) in our partial list of clients. Contact Gary for a complete FAG B71940-C-T-P4S angular contact ball bearings list of clients 75,000 Bore Diameter (mm) 130,000 Outer Diameter (mm) and projects.

Size (mm)	75x130x25
Bore Diameter (mm)	75,000
Outer Diameter (mm)	130,000
Width (mm)	25,000
d	75,000 mm
D	130,000 mm
B	25,000 mm
C	25,000 mm
rs min	1.5 mm
Radial clearance class	CN
Mass	1.18 kg
Dynamic load, C	66 kN
Static load, C0	49.5 kN
Fatigue limit load, Cu	2.21 kN
f0	14.7
Nlim (grease)	3,200 rpm
Min operating temperature, Tmin	-25 °C
Max operating temperature, Tmax	110 °C
Characteristic cage frequency, FTF	0.42 Hz

Characteristic rolling element frequency, BSF	5.76 Hz
Characteristic outer ring frequency, BPF0	4.57 Hz
Characteristic inner ring frequency, BPFI	6.43 Hz
da min	83 mm
da max	90.5 mm
Da max	122 mm
ra max	1.5 mm
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	1.15
EAN	4547359370935
Product Group	B00308
Enclosure	1 Seal
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Contact Seal
Internal Clearance	C0-Medium
Inch – Metric	Metric

Long Description	75MM Bore; 130MM Outside Diameter; 25MM Outer Race Width; 1 Seal; Ball Bearing; ABEC 1 ISO P0; No
Other Features	Deep Groove Double Lip Friction Nitrile Rubber Seal -20 To 120 Deg C
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Weight / LBS	2.54
Outer Race Width	0.984 Inch 25 Millimeter
Outside Diameter	5.118 Inch 130 Millimeter
Bore	2.953 Inch 75 Millimeter
Inner Race Width	0 Inch 0 Millimeter