

# FAG B71948-E-T-P4S angular contact ball bearings

We Provide Extensive 5.0 Inventory FAG B71948-E-T-P4S angular contact ball bearings Selection And Competitive TIMKEN Manufacturer Name Wholesale N/A Minimum Buy Quantity Pricing.

Inventory	5.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	3.76 lb
EAN	0087796058996
Product Group	M06110
Number of Mounting Holes	4
Mounting Method	Eccentric Collar
Housing Style	4 Bolt Square Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	33/64 Inch
Relubricatable	Yes
Insert Part Number	GRA106RRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch – Metric	Inch
Long Description	4 Bolt Square Flange Block; 1-3/8" Bore; 5.1" Bolt Circle; 3-5/8" Bolt Spacing; 1 Pie

Other Features	Single Row   Normal Duty   Narrow Inner Race   With Set Screw
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	VCJ 1 3/8
Weight / LBS	3.76
Bolt Spacing	3.625 Inch   92.08 Millimeter
Nominal Bolt Circle Diameter Round	5.1 Inch   130 Millimeter
Cartridge Pilot Depth	0 Inch   0 Millimeter
d	1.375 Inch   34.925 Millimeter
Cartridge Pilot Diameter	0 Inch   0 Millimeter
D	1.531 Inch   38.9 Millimeter
Shaft Size d	1 3/8 in
Dimension D	3.500 in
Dimension E	1.988 in
Inside Ring Outside Diameter	2.110 in
Series	Standard
Seal Type	Molded Shroud
Total Length L	117.5 mm
Housing Width A	1.252 in
Bolt Hole Spacing J	92.08 mm
Bolt Hole Size N	12 mm
Flange Thickness A1	13.5 mm
Center of Bearing from Housing End A2	21.1 mm

Inside Ring Width B	=Bearings1_Inside Ring Width= mm
Bolt Size	M12
Center of Bearing from Bearing End S	9.5 mm
Static Load Rating	3440 lbf
Dynamic Load Rating	6400 lbf