

FAG HCB71915-E-T-P4S angular contact ball bearings

LET OUR FAG HCB71915-E-T-P4S angular contact ball bearings EXPERTS 25x42x9 Size (mm) GET 42 Outer Diameter (mm) YOU THE PARTS YOU NEED.

Size (mm)	25x42x9
Bore Diameter (mm)	25
Outer Diameter (mm)	42
Width (mm)	9
d	25 mm
D	42 mm
B	9 mm
C	9 mm
r min.	0.3 mm
da min.	27 mm
Da max.	40 mm
ra max.	0.3 mm
Weight	0.042 Kg
Basic dynamic load rating (C)	7 kN
Basic static load rating (C0)	4,5 kN
(Grease) Lubrication Speed	16000 r/min
Inventory	0.0
Manufacturer Name	NACHI
Minimum Buy Quantity	N/A
Weight / Kilogram	0.04
EAN	4991893858211
Product Group	B00308

Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	25MM Bore; 42MM Outside Diameter; 9MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No F
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Weight / LBS	0.09
Outside Diameter	1.654 Inch 42 Millimeter
Bore	0.984 Inch 25 Millimeter
Outer Race Width	0.354 Inch 9 Millimeter
Bore Type	Cylindrical Bore
Configuration	Single Row
Bore Size	25 mm
Width	9 mm
Fillet Radius/Chamfer	0.3 mm
Dynamic Load Rating	7,000 N
Static Load Rating	4,500 N
Limiting Speed – Grease	16,000 rpm
Limiting Speed – Oil	20,000 rpm
Factor fo	15.3

Radial Clearance	0.005 to 0.020 mm
da (min)	27 mm
Da (max)	40 mm
ra (max)	0.3 mm