

# FAG HS7019-E-T-P4S angular contact ball bearings

100% Authentic. FAG HS7019-E-T-P4S angular contact ball bearings Highest Quality. Certified Supplier. 0.0 Inventory

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	8.607
EAN	7316577723130
Product Group	B04144
Bore Profile	Straight
Cage Material	Brass
Precision Class	RBEC 1   ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring – Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C4-Extra Loose
Retainer	Yes
Relubricatable	Yes
Inch – Metric	Metric
Other Features	High Capacity   Plain Inner Ring   2 Rib Outer Ring   Bearing for Railway Vehicle Traction Motor   C

Long Description	100MM Bore; Straight Bore Profile; 215MM Outside Diameter; 47MM Width; Brass Cage Material; RBEC 1
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer Item Number	NU 320 ECM/C4VA301
Weight / LBS	18.958
B	1.85 Inch   47 Millimeter
d	3.937 Inch   100 Millimeter
D	8.465 Inch   215 Millimeter
bore diameter:	100 mm
static load capacity:	440 kN
outside diameter:	215 mm
precision rating:	Not Rated
overall width:	47 mm
maximum rpm:	3800 RPM
flanges:	(2) Outer Ring
bearing material:	Steel
bore type:	Straight
cage material:	Brass
number of rows:	1
finish/coating:	Uncoated
internal clearance:	C4
closure type:	Open
ring separation:	Separable Ring
outer ring width:	47 mm
operating temperature range:	Maximum of +300 °F
fillet radius:	2.5 mm

dynamic load capacity:	450 kN
series:	NU3