

# FAG NJ330-E-M1 + HJ330-E cylindrical roller bearings

FAG NJ330-E-M1 + HJ330-E cylindrical roller bearings SEARCH – Whether it's agriculture or construction equipment 17 Bore Diameter (mm) 23,4 mm S1 your working on, Has the you need.

Bore Diameter (mm)	17
d	17 mm
S1	23,4 mm
Thread (Q)	M6
d3	28 mm
A	30 mm
A1	18 mm
B1	37,4 mm
H	30,2 mm
H1	10 mm
H2	57 mm
J	95 mm
L	125 mm
N	11 mm
N1	19 mm
Weight	0,5 Kg
Basic dynamic load rating (C)	9,8 kN
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.599
Product Group	M06110

Number of Mounting Holes	2
Mounting Method	Eccentric Collar
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Relubricatable	Yes
Insert Part Number	GE17KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Inch – Metric	Metric
Other Features	Single Row   Standard Shaft Height   With Set Screw
Long Description	2 Bolt Pillow Block; 17MM Bore; 30.2MM Base to Center Height; Eccentric Collar Mount; Ball Bearing;
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer Item Number	RASE17
Weight / LBS	1.102
Nominal Bolt Center to Center	3.8 Inch   97 Millimeter
Actual Bolt Center to Center	3.7 Inch   95Millimeter
Bore	0.669 Inch   17 Millimeter
Base to Center Height	1.189 Inch   30.2 Millimeter
Length Thru Bore	1.472 Inch   37.4 Millimeter
Bolt Spacing Maximum	0 Inch   0Millimeter

Bolt Spacing Minimum

0 Inch | 0Millimeter