

# FAG NU422-M1 cylindrical roller bearings

Shop FAG NU422-M1 cylindrical roller bearings 90x40x23 Size (mm) huge online discount inventory. and 90 Bore Diameter (mm) Import machinery parts your car needs with Free Shipping and Free Extended Warranty.

Size (mm)	90x40x23
Bore Diameter (mm)	90
Outer Diameter (mm)	40
Width (mm)	23
d	40 mm
D	90 mm
B	23 mm
d1	56.11 mm
D2	77.7 mm
r1,2 – min.	1.5 mm
da – min.	49 mm
Da – max.	81 mm
ra – max.	1.5 mm
Basic dynamic load rating – C	42.3 kN
Basic static load rating – C0	24 kN
Fatigue load limit – Pu	1 kN
Reference speed	17000 r/min
Limiting speed	11000 r/min
Calculation factor – kr	0.03
Calculation factor – f0	13.2
Inventory	2.0

Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	0.631
EAN	7316577738905
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	40MM Bore; 90MM Outside Diameter; 23MM Outer Race Diameter; Open; Ball Bearing; ABEC 1   ISO P0; No
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	6308
Weight / LBS	1.39
Outer Race Width	0.906 Inch   23 Millimeter
Outside Diameter	3.543 Inch   90 Millimeter
Bore	1.575 Inch   40 Millimeter
d1 ≈	56.11 mm
D2 ≈	77.7 mm
r1,2 min.	1.5 mm

da min.	49 mm
Da max.	81 mm
ra max.	1.5 mm
Basic dynamic load rating C	42.3 kN
Basic static load rating C <sub>0</sub>	24 kN
Fatigue load limit P <sub>u</sub>	1.02 kN
Calculation factor k <sub>r</sub>	0.03
Calculation factor f <sub>0</sub>	13.2
Mass bearing	0.63 kg