

Fersa 30209F tapered roller bearings

Fersa 30209F tapered roller bearings, Units and Housings CAD models , 0.0 Inventory Manufacturing Service N/A Minimum Buy Quantity . Get Your Free.

| | |
|--------------------------|---------------|
| Inventory | 0.0 |
| Manufacturer Name | TIMKEN |
| Minimum Buy Quantity | N/A |
| EAN | 0883450506731 |
| Weight / US pound | 0.01 |
| Product Group | M06110 |
| Shaft Size | 1.625 in |
| Shaft Size Type | Imperial |
| Weight | 11.0 lb |
| UPC Code | 0883450506731 |
| Type E Open Cover Number | EUDR-1 1/2 |
| Dimension B | 3-3/8 in |
| Dimension L | 5-3/8 in |
| Dimension A | 2-31/32 in |
| Dimension J | 4-1/8 in |
| Dimension A2 | 1/8 in |
| Bolt Diameter | 1/2 in |
| Dimension A1 | 1-3/16 in |
| Dimension D 1 | 4-3/16 in |
| Dimension d1 | 3-3/16 in |
| Dimension Ac | 4.05075 in |
| Dimension d2 | 3.95 in |

| | |
|--|---|
| e | 0.44 |
| X (if $F_a/F_r \leq e$) | 0.87 |
| Y (if $F_a/F_r \leq e$) | 1.96 |
| X (if $F_a/F_r > e$) | 0.7 |
| Y (if $F_a/F_r > e$) | 2.37 |
| K Factor | 1.36 |
| C90 Dynamic Load Rating ² | 7860 lb |
| C0 Static Load Rating | 33000 lb |
| Fa-max Maximum Permissible Thrust Load ³ | 2590 lb |
| Fr-max Maximum Allowable Slip Fit Radial Load ⁴ | 6400 lb |
| Max. Speed ⁵ | 3320 rpm |
| Note | Note: All units have a 1/8 pipe thread grease fitting The Maximum Permissible Thrust Load applies to |