

Fersa 62304 deep groove ball bearings

LET OUR Fersa 62304 deep groove ball bearings 35 Bore Diameter (mm) EXPERTS GET YOU THE 35x10x11 Size (mm) PARTS YOU NEED.

Size (mm)	35x10x11
Bore Diameter (mm)	35
Outer Diameter (mm)	10
Width (mm)	11
d	10 mm
D	35 mm
B	11 mm
d1	17.7 mm
D2	29.3 mm
r1,2 – min.	0.6 mm
da – min.	14 mm
Da – max.	31 mm
ra – max.	0.6 mm
Basic dynamic load rating – C	7 kN
Basic static load rating – C0	3.4 kN
Fatigue load limit – Pu	0.146 kN
Reference speed	53000 r/min
Limiting speed	34000 r/min
Calculation factor – kr	0.035
Calculation factor – f0	11.2
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A

Weight / Kilogram	0
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Stainless Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	10MM Bore; 35MM Outside Diameter; 11MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Fil
Other Features	Deep Groove
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Weight / LBS	0.1113
Outside Diameter	1.378 Inch 35 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Bore	0.394 Inch 10 Millimeter
Outer Race Width	0.433 Inch 11 Millimeter
d1 ≈	17.7 mm
D2 ≈	29.3 mm
r1,2 min.	0.6 mm
da min.	14 mm
Da max.	31 mm

ra max.	0.6 mm
Basic dynamic load rating C	7.02 kN
Basic static load rating C0	3.4 kN
Fatigue load limit Pu	0.146 kN
Calculation factor kr	0.035
Calculation factor f0	11.2
Mass bearing	0.05 kg