

FLCTEY15 INA UNSPSC 31171501

Bearing units

| | |
|----------------------------------|-----------------------|
| Bearing number | FLCTEY15 |
| Brand | INA |
| Bore Diameter (mm) | 15 |
| Width (mm) | 22 |
| d | 15 mm |
| U | 24.4 mm |
| A1 | 15 mm |
| B | 22 mm |
| H | 81 mm |
| J | 63.5 mm |
| L | 58.7 mm |
| N | 6.6 mm |
| A2 | 8.4 mm |
| Weight | 0.27 Kg |
| Basic dynamic load rating (C) | 9.8 kN |
| Category | Flange Block Bearings |
| BDI Inventory | 0.0 |
| Manufacturer Name | SCHAEFFLER GROUP |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 0.27 |
| Product Group – BDI | M06110 |
| Number of Mounting Holes | 2 |
| Mounting Method | Set Screw |
| Housing Style | 2 Bolt Flange Block |
| Rolling Element | Ball Bearing |

| | |
|------------------------------------|--|
| Housing Material | Cast Iron |
| Expansion / Non-expansion | Non-expansion |
| Mounting Bolts | 6.6 Millimeter |
| Relubricatable | No |
| Insert Part Number | AY15NPPB |
| Seals | Double Lip Contact |
| Housing Configuration | 1 Piece Solid |
| Pilot Configuration | No Pilot |
| Inch – Metric | Metric |
| Long Description | 2 Bolt Flange Block; 15MM Bore; 64MM Bolt Circle; 63.5MM Bolt Spacing; 1 Piece Solid; Set Screw Mount; Cast Iron; Ball Bearing; 22MM Length Thru Bore; No Relubricatable; Double Lip Contact Seals |
| Other Features | Single Row Small Center Bolt With Grub Screw |
| Category – BDI | Flange Block |
| UNSPSC | 31171501 |
| Harmonized Tariff Code | 8483.20.40.40 |
| Noun | Bearing |
| Keyword String | Flanged |
| Manufacturer URL | http://www.ina.com |
| Manufacturer Item Number | FLCTEY15 |
| Weight / LBS | 0.595 |
| Cartridge Pilot Diameter | 0 Inch 0 Millimeter |
| Bolt Spacing | 2.5 Inch 63.5 Millimeter |
| Cartridge Pilot Depth | 0 Inch 0 Millimeter |
| Nominal Bolt Circle Diameter Round | 2.5 Inch 64 Millimeter |

| | |
|------------------|----------------------------|
| Bore | 0.591 Inch 15 Millimeter |
| Length Thru Bore | 0.866 Inch 22 Millimeter |