

FYH UCFS308 bearing units

FYH UCFS308 bearing units 17 Bore Diameter (mm) Manufacturers , Online 17x9x4 Size (mm) Wholesale Suppliers ! 9 Outer Diameter (mm)

Size (mm)	17x9x4
Bore Diameter (mm)	17
Outer Diameter (mm)	9
Width (mm)	4
d	9 mm
D	17 mm
B	4 mm
d1	11.5 mm
D1	14.5 mm
r1,2 – min.	0.2 mm
da – min.	10.6 mm
da – max.	11.4 mm
Da – max.	15.4 mm
ra – max.	0.2 mm
Basic dynamic load rating – C	0.761 kN
Basic static load rating – C0	0.335 kN
Fatigue load limit – Pu	0.014 kN
Reference speed	85000 r/min
Limiting speed	53000 r/min
Calculation factor – kr	0.02
Calculation factor – f0	7.7
Inventory	0.0
Manufacturer Name	SKF

Minimum Buy Quantity	N/A
Weight / Kilogram	0
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Stainless Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	9MM Bore; 17MM Outside Diameter; 4MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filli
Other Features	Deep Groove
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Weight / LBS	0.0077
Outside Diameter	0.669 Inch 17 Millimeter
Bore	0.354 Inch 9 Millimeter
Outer Race Width	0.157 Inch 4 Millimeter
Inner Race Width	0 Inch 0 Millimeter
d1 ≈	11.5 mm
D1 ≈	14.5 mm
r1,2 min.	0.2 mm
da min.	10.6 mm

Da max.	15.4 mm
ra max.	0.2 mm
Basic dynamic load rating C	0.761 kN
Basic static load rating C0	0.335 kN
Fatigue load limit Pu	0.014 kN
Calculation factor kr	0.02
Calculation factor f0	7.7
Mass bearing	0.0034 kg