

Gamet 204190X/204266XG tapered roller bearings

Offer High Quality Brand Gamet 204190X/204266XG tapered roller bearings .Contact 0.0 Inventory Us Online to Get Best Quote.

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	5.81
EAN	7316576612435
Product Group	B04264
Self Aligning	Yes
Rolling Element	Spherical Plain
Material – Outer Member	Steel
Material – Ball	Steel
Material – Liner	Not Applicable
Relubricatable	Yes
Enclosure	Open
Other Features	2 Piece Lubrication Hole and an Annular Groove in Both Rings
Long Description	3-3/4" Bore; 2-13/16" Housing Width; 5-7/8" Outside Diameter; Steel Outer Member; Ste
Inch – Metric	Inch
UNSPSC	31171515
Harmonized Tariff Code	8483.30.80.70
Noun	Bearing
Keyword 3	Spherical

Keyword String	Plain Spherical Radial
Manufacturer Item Number	GEZ 312 ES
Weight / LBS	12.8
Housing Width	2.812 Inch 71.425 Millimeter
B	83.337 mm
d	95.25 mm
D	149.225 mm
bore diameter:	3.7500 in
outer ring width:	2.8120 in
outside diameter:	5.8750 in
grade:	Commercial/Industrial
misalignment angle:	6 °
radial static load capacity:	530549 lbf
inner ring width:	3.2810 in
radial dynamic load capacity:	175351 lbf
bearing type:	Radial
operating temperature range:	-50 to +200 °C °F
lubrication type:	Requires Lubrication
overall width:	3.2810 in
closure type:	Open
weight:	12.80 lbs
outer ring material:	Chrome Steel
manufacturer product page:	Click here
inner ring material:	Chrome Steel
manufacturer upc number:	7316576612435
Lubricant	Regular relubrication – grease
Design (sliding contact surface combination)	Steel/steel

Sealing solution	—
C	71.425 mm
α	6 °
dk	136.906 mm
b	10.5 mm
b1	8 mm
M	6.5 mm
r1 min.	0.6 mm
r2 min.	1 mm
da min.	101.2 mm
da max.	108.6 mm
Da min.	130.1 mm
Da max.	143.1 mm
ra max.	0.6 mm
rb max.	1 mm
Basic dynamic load rating C	780 kN
Basic static load rating C0	2360 kN
Specific dynamic load factor K	100 N/mm ²
Specific static load factor K0	300 N/mm ²
Material constant KM	330
Mass plain bearing	5.8 kg