

# GLCTE17 INA Cartridge Pilot Diameter 0 Inch | 0 Millimeter Bearing units

Bearing number	GLCTE17
Brand	INA
Bore Diameter (mm)	17
d	17 mm
U	30.5 mm
Thread (Q)	M6
d3	28 mm
A1	15 mm
B1	28.6 mm
H	81 mm
J	63.5 mm
L	58.7 mm
N	6.6 mm
A2	8.4 mm
Weight	0.3 Kg
Basic dynamic load rating (C)	9.8 kN
Category	Flange Block Bearings
BDI Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.3
Product Group – BDI	M06110
Number of Mounting Holes	2

Mounting Method	Eccentric Collar
Housing Style	2 Bolt Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	6.6 Millimeter
Relubricatable	Yes
Insert Part Number	GRAE17NPPB
Seals	Double Lip Contact
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch – Metric	Metric
Long Description	2 Bolt Flange Block; 17MM Bore; 64MM Bolt Circle; 63.5MM Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 28.6MM Length Thru Bore; Relubricatable; Double Lip Contact Seals
Other Features	Single Row   Small Center Bolt   With Set Screw
Category – BDI	Flange Block
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Manufacturer Item Number	GLCTE17
Weight / LBS	0.661
Bore	0.669 Inch   17 Millimeter

Cartridge Pilot Depth	0 Inch   0 Millimeter
Length Thru Bore	1.126 Inch   28.6 Millimeter
Bolt Spacing	2.5 Inch   63.5 Millimeter
Nominal Bolt Circle Diameter Round	2.5 Inch   64 Millimeter
Cartridge Pilot Diameter	0 Inch   0 Millimeter