

Hot Rolling Forged Slewing Bearings Ring for Wind Turbine Ring

offers a Hot Rolling Forged Slewing Bearings Ring for Wind Turbine Ring selection of 75 mm D Genuine at Wholesale Prices. We 45 mm d are a Hot Rolling Forged Slewing Bearings Ring for Wind Turbine Ring Certified Parts Retailer

| | |
|------------------------|----------|
| d | 45 mm |
| D | 75 mm |
| B | 16 mm |
| a min | 2.29 mm |
| a max | 2.49 mm |
| Ca min | 3.89 mm |
| Ca max | 4.19 mm |
| rs min | 1 mm |
| rNs min | 0.5 mm |
| D3 max | 71.83 mm |
| b min | 1.9 mm |
| b max | 2.2 mm |
| r0 max | 0.6 mm |
| D4 max | 81.6 mm |
| f | 1.7 mm |
| Snap ring reference | R75 |
| Radial clearance class | CN |
| Mass | 0.24 kg |
| Dynamic load, C | 21 kN |
| Static load, C0 | 15.1 kN |

| | |
|---|-----------------|
| Fatigue limit load, Cu | 0.69 kN |
| f ₀ | 15.3 |
| N _{lim} (grease) | 5,400 rpm |
| Min operating temperature, T _{min} | -25 °C |
| Max operating temperature, T _{max} | 110 °C |
| Characteristic cage frequency, FTF | 0.43 Hz |
| Characteristic rolling element frequency, BSF | 6.73 Hz |
| Characteristic outer ring frequency, BPF ₀ | 5.55 Hz |
| Characteristic inner ring frequency, BRF ₀ | 7.45 Hz |
| d _{a min} | 50 mm |
| d _{a max} | 52.5 mm |
| D _{a max} | 70 mm |
| r _{a max} | 1 mm |
| r _{Na max} | 0.5 mm |
| D _{b min} | 83 mm |
| Inventory | 0.0 |
| Manufacturer Name | NTN |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 0 |
| EAN | 4547359330847 |
| Product Group | B00308 |
| Enclosure | 2 Seals |
| Precision Class | ABEC 1 ISO P0 |
| Maximum Capacity / Filling Slot | No |
| Rolling Element | Ball Bearing |
| Snap Ring | Yes |

| | |
|---------------------------|--|
| Internal Special Features | No |
| Cage Material | Steel |
| Enclosure Type | Contact Seal |
| Internal Clearance | C0-Medium |
| Inch – Metric | Metric |
| Long Description | 45MM Bore; 75MM Outside Diameter; 16MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No |
| Other Features | Deep Groove Double Lip Friction Nitrile Rubber Seal With Snap Ring -20 To 120 Deg C Prelubri |
| UNSPSC | 31171504 |
| Harmonized Tariff Code | 8482.10.50.68 |
| Noun | Bearing |
| Keyword String | Ball |
| Weight / LBS | 0.54 |
| Outside Diameter | 2.953 Inch 75 Millimeter |
| Bore | 1.772 Inch 45 Millimeter |
| Outer Race Width | 0.63 Inch 16 Millimeter |
| Inner Race Width | 0 Inch 0 Millimeter |