

IKO BA 4420 Z needle roller bearings

What is IKO BA 4420 Z needle roller bearings in mechanical 0.0 Inventory engineering? Manufacturing Service . Upload your CAD N/A Minimum Buy Quantity file for an instant.

Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.222
EAN	4547359428599
Product Group	B04270
Enclosure	Open
Precision Class	ABEC 7 ISO P4
Material – Ball	Steel
Number of Bearings	2 (1 Pair)
Contact Angle	15 Degree
Preload	Light
Raceway Style	1 Rib Outer Ring
Cage Material	Nylon
Rolling Element	Ball Bearing
Mounting Arrangement	Duplex-Universal
Flush Ground	Yes
Inch – Metric	Metric
Other Features	Single Row Angular Contact
Long Description	30MM Bore; 55MM Outside Diameter; 26MM Width; Open Enclosure; ABEC 7 ISO P4 Precision; Steel Ball

UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact Ball
Manufacturer Item Number	7006CGD2/GNP4
Weight / LBS	0.491
B	1.024 Inch 26 Millimeter
D	2.165 Inch 55 Millimeter
d	1.181 Inch 30 Millimeter
bore diameter:	30 mm
precision rating:	ISO Class 4
outside diameter:	55 mm
cage material:	Nylon
overall width:	26 mm
finish/coating:	Uncoated
contact angle:	15 °
inner ring width:	13 mm
duplex type:	Universal Flush Ground
maximum rpm (oil):	34800 rpm
internal clearance:	C0
maximum rpm (grease):	21760 rpm
closure type:	Open
outer ring width:	13 mm
operating temperature range:	-40 to 120 °C
fillet radius:	1 mm
radial dynamic load capacity:	3400 lb
series:	70C
radial static load capacity:	2310 lb
manufacturer product page:	Click here

bearing material:	High Carbon Chrome Steel
-------------------	--------------------------