

IKO RNA 4948 needle roller bearings

Manufacturers of all are represented in our partial N/A Minimum Buy Quantity list of clients. Contact Gary for a complete IKO RNA 4948 needle roller bearings list of clients and projects. 0.0 Inventory

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.16
EAN	7316577032546
Product Group	B04286
Stud Profile	Female
Mounting Thread	M14 X 2
Thread Direction	Right Hand
Rolling Element	Spherical Plain
Material – Outer Member	Steel
Material – Ball	Steel
Material – Liner	Bronze
Relubricatable	Yes
Enclosure	Open
Other Features	3 Piece Zinc Plated Outer
Long Description	14MM Bore; 14.5MM House Width; Female Stud Profile; M14 X 2; Right Hand Thread Direction; Spherical
Inch – Metric	Metric
UNSPSC	31171508

Harmonized Tariff Code	8483.30.80.55
Noun	Bearing
Keyword 3	Rod End
Keyword String	Plain Spherical Rod End
Manufacturer Item Number	SIKAC 14 M
Weight / LBS	0.353
Housing Width	0.571 Inch 14.5 Millimeter
Ball Width	0.748 Inch 19 Millimeter
d	14 mm
bore diameter:	14 mm
ball material:	Steel
misalignment angle:	16 °
race material:	Bronze
shank thread length:	21 mm
radial static load capacity:	20.4 kN
rod end type:	Female Threaded
operating temperature range:	-30 to +180 °F
shank thread size:	M14x2
head diameter:	37 mm
thread direction:	Right Hand
head width:	14.5 mm
grade:	Precision
ball width:	19 mm
lubrication type:	With Lubrication Fitting
length to ball center:	57 mm
housing material:	Zinc-Plated Steel
standards met:	DIN 71412:1987, ISO 8139-4:1998
d2 max.	37 mm

B	19 mm
G	M 14
C1 max.	14.5 mm
h1	57 mm
α	16 °
dk	25.4 mm
d3 \approx	20 mm
d4 max.	27 mm
l3 min.	21 mm
l4 max.	76 mm
l5 \approx	8 mm
l7 min.	18 mm
w	22 mm
r1 min.	0.3 mm
Basic dynamic load rating C	17 kN
Basic static load rating C0	20.4 kN
Specific dynamic load factor K	50 N/mm ²
Material constant KM	330
Mass rod end	0.16 kg