

# IKO TA 1815 Z needle roller bearings

Enjoy High 5.0 Inventory Margins on Competitive NTN Manufacturer Name Pricing.Great Wholesale Products at Low Costs.

Inventory	5.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.185
EAN	4547359222227
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	1/2 Inch
Relubricatable	Yes
Insert Part Number	A-UC209-112D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Inch – Metric	Inch
Other Features	Single Row   Wide Inner Race   Has Flinger

Long Description	2 Bolt Pillow Block; 1-3/4" Bore; 2-1/8" Base to Center Height; Set Screw Mount; Ball Bear
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer Item Number	UCP-1.3/4
Weight / LBS	0.41
D	1.937 Inch   49.2 Millimeter
B	2.125 Inch   53.98 Millimeter
d	1.75 Inch   44.45 Millimeter
Bolt Spacing Minimum	0 Inch   0Millimeter
Actual Bolt Center to Center	5.9 Inch   149.9Millimeter
Bolt Spacing Maximum	0 Inch   0Millimeter
Nominal Bolt Center to Center	5.8 Inch   146.5 Millimeter
mounting:	Two-Bolt Base
overall length:	189.706 mm
bore diameter:	1.7500 in
overall height:	106.363 mm
bore type:	Round
finish/coating:	Oxide
base to bore centerline:	2.1250 in
overall width:	1-15/16 in
duty type:	Normal Duty
base width:	53.975 mm
housing material:	Cast Iron
bolt center-to-center length:	149.225 mm
locking device:	Set Screw

lubrication type:	Lubrication Fitting
seal type:	Contact with Flinger
end type:	Open
expansion type:	Non-Expansion Bearing (Fixed)
series:	UCP