

IKO TLAM 4516 needle roller bearings

Shop IKO TLAM 4516 needle roller bearings huge online discount 0.0 Inventory inventory. and Import machinery parts your car needs N/A Minimum Buy Quantity with Free Shipping and Free Extended Warranty.

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	2.042
EAN	7316577065186
Product Group	B04144
Bore Profile	Straight
Cage Material	Polymer
Precision Class	RBEC 1 ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring – Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C3-Loose
Retainer	Yes
Relubricatable	Yes
Inch – Metric	Metric
Other Features	High Capacity Plain Inner Ring 2 Rib Outer Ring Cage on Outer Ring ID

Long Description	80MM Bore; Straight Bore Profile; 140MM Outside Diameter; 33MM Width; Polymer Cage Material; RBEC 1
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer Item Number	NU 2216 ECP/C3
Weight / LBS	4.497
B	1.299 Inch 33 Millimeter
D	5.512 Inch 140 Millimeter
d	3.15 Inch 80 Millimeter
bore diameter:	80 mm
precision rating:	RBEC 1 (ISO Class Normal)
outside diameter:	140 mm
maximum rpm:	5600 RPM
overall width:	33 mm
bearing material:	Steel
flanges:	(2) Outer Ring
cage material:	Polyamide
bore type:	Straight
finish/coating:	Uncoated
number of rows:	1
closure type:	Open
internal clearance:	C3
application:	Piston Type Machines, Rolling Mills, Spindles/Machine Tools
ring separation:	Separable Ring
outer ring width:	33 mm
operating temperature range:	Maximum of +300 °F

fillet radius:	2 mm
dynamic load capacity:	212 kN
series:	NU22
static load capacity:	245 kN