

# INA CSCB020 deep groove ball bearings

How do I place an EMERGENCY 53,975 Bore Diameter (mm) order for a INA CSCB020 deep groove ball bearings that I want to pick up at a 53.975×122.238×33.338 Size (mm) our store?

Size (mm)	53.975×122.238×33.338
Bore Diameter (mm)	53,975
Outer Diameter (mm)	122,238
Width (mm)	33,338
d	53,975 mm
D	122,238 mm
T	33,338 mm
B	31,75 mm
C	23,812 mm
ra1 max.	3,3 mm
a	34,3 mm
r min.	3,5 mm
r1 min.	3,3 mm
Da	105 mm
db	68 mm
ra max.	3,5 mm
da	75 mm
Db	116 mm
Weight	1,758 Kg
Basic dynamic load rating (C)	135 kN
Basic static load rating (C0)	156 kN
(Grease) Lubrication Speed	3000 r/min

(Oil) Lubrication Speed	4000 r/min
Calculation factor (e)	0,67
Calculation factor (Y0)	0,5
LangID	1
ALP23	0
outer r	3.3
ALP22	50
D_	122.238
ALP21	47
SHOG_yobi	66584R/66520R
RAr	139.346
inner r	3.5
GRS rpm	3000
D_b	116
D_a	105
DE_	105.114
SLR	21
Prod_Type3	TRBSR_ID_A
BETA_	3
ALPHA_	23.917
SDM_	89.894
DA1	17.01
DA2	14.477
hidYobi	66584/66520
Y1	0.9
B_	31.75
Oil rpm	4000
hidTable	ecat_NSTPRI
Y0	0.5

inner ra	3.5
outer rb	3.3
C0	156
CUP	0.558
e	0.67
DA_	15.761
BET21	7
BET22	0
BET23	0
Z_	15
C_	23.812
yobi	66584/66520
KBRG	3161
CONE	1.2
DI_	74.922