INA F-1341 needle roller bearings

INA F-1341 needle roller bearings manufacturer 0.0 Inventory N/A Minimum Buy Quantity and global supplier of reliable ball and roller ... INA F-1341 needle roller bearings Industries Products Manufacturing & Engineering and Agricultural Bearings designed to meet the unique requirements of our targeted TIMKEN Manufacturer Name industries.

| Inventory | 0.0 |
|---------------------------|----------------------------|
| Manufacturer Name | TIMKEN |
| Minimum Buy Quantity | N/A |
| Weight | 5.24 lb |
| EAN | 0087796265912 |
| Product Group | M06110 |
| Number of Mounting Holes | 4 |
| Mounting Method | Set Screw |
| Housing Style | 4 Bolt Square Flange Block |
| Rolling Element | Ball Bearing |
| Housing Material | Cast Iron |
| Expansion / Non-expansion | Non-expansion |
| Mounting Bolts | 12 Millimeter |
| Relubricatable | Yes |
| Insert Part Number | GYE45KRRB |
| Seals | Double Land Riding Rubber |
| | Contact |
| Housing Configuration | 1 Piece Solid |
| Pilot Configuration | No Pilot |
| Inch — Metric | Metric |

| Long Description | 4 Bolt Square Flange Block; 45MM Bore; 148MM Bolt Circle; 104.8MM Bolt Spacing; 1 Piece Solid; Set S |
|---------------------------------------|---|
| Other Features | Single Row Normal Duty Wide Inner Race Corrosion Resistant Powder Coated Epoxy Finish |
| UNSPSC | 31171501 |
| Harmonized Tariff Code | 8483.20.40.40 |
| Noun | Bearing |
| Keyword String | Flanged |
| Manufacturer Item Number | YCJ 45 SGT |
| Weight / LBS | 5.927 |
| Cartridge Pilot Depth | 0 Inch 0 Millimeter |
| Bolt Spacing | 4.126 Inch 104.8 Millimeter |
| Cartridge Pilot Diameter | 0 Inch 0 Millimeter |
| Nominal Bolt Circle Diameter Round | 5.8 Inch 148 Millimeter |
| D | 1.937 Inch 49.2 Millimeter |
| d | 1.772 Inch 45 Millimeter |
| Shaft Size d | 1.772 in |
| Dimension D | 4.126 in |
| Dimension E | 2.186 in |
| Inside Ring Outside Diameter | 2.280 in |
| Series | Industrial |
| Seal Type | Shroud Seal |
| Total Length L | 136.5 mm |
| Housing Width A | 1.531 in |
| Bolt Hole Size N | 12 mm |

| Flange Thickness A1 | 14.3 mm |
|--|-------------------------------|
| Center of Bearing from Housing End A2 | 24.12 mm |
| Inside Ring Width B | =Bearings1_Inside Ring Width= |
| Total Height | 136.5 mm |
| Bolt Size | M12 |
| Center of Bearing from Bearing End S | 19 mm |
| Static Load Rating | 4600 lbf |
| Dynamic Load Rating | 8160 lbf |