

INA GIHN-K 63 L0 plain bearings

INA GIHN-K 63 L0 plain bearings 85.725×168.275×41.275 Size (mm) Engineering Calculator , 85,725 Bore Diameter (mm) Manufacturing Service . Get Your Free.

Size (mm)	85.725×168.275×41.275
Bore Diameter (mm)	85,725
Outer Diameter (mm)	168,275
Width (mm)	41,275
d	85,725 mm
D	168,275 mm
T	41,275 mm
B	41,275 mm
C	30,162 mm
ra1 max.	3,3 mm
a	38,3 mm
r min.	3,5 mm
r1 min.	3,3 mm
Da	149 mm
db	99 mm
ra max.	3,5 mm
da	105 mm
Db	160 mm
Weight	4,15 Kg
Basic dynamic load rating (C)	223 kN
Basic static load rating (C0)	345 kN
(Grease) Lubrication Speed	2000 r/min

(Oil) Lubrication Speed	2800 r/min
Calculation factor (e)	0,47
Calculation factor (Y0)	0,7
LangID	1
ALP23	0
outer r	3.3
ALP22	50
D_	168.275
ALP21	34
SHOG_yobi	677R/672R
RAr	259.404
inner r	3.5
GRS rpm	2000
D_b	160
D_a	149
DE_	146.822
SLR	28
Prod_Type3	TRBSR_ID_A
BETA_	1
ALPHA_	17.417
SDM_	132.538
DA1	15.843
DA2	14.14
hidYobi	677/672
Y1	1.3
B_	41.275
Oil rpm	2800
hidTable	ecat_NSTPRI
Y0	0.7

inner ra	3.5
outer rb	3.3
C0	345
CUP	1.24
e	0.47
DA_	14.996
BET21	3
BET22	30
BET23	0
Z_	23
C_	30.162
yobi	677/672
KBRG	3161
CONE	2.91
DI_	118.001