

# INA NKI95/26 needle roller bearings

INA NKI95/26 needle roller bearings Manufacturers 7 Bore Diameter (mm) , Online Wholesale Suppliers 7x17x5 Size (mm) !

Size (mm)	7x17x5
Bore Diameter (mm)	7
Outer Diameter (mm)	17
Width (mm)	5
d	7 mm
D	17 mm
B	5 mm
C	5 mm
d1	10,4 mm
d2	– mm
r1 min.	9 mm
r2 min.	9 mm
D1	14,3 mm
D2	0,3 mm
da min.	9 mm
Da max.	15 mm
ra max.	0.3 mm
Weight	0,0049 Kg
Basic dynamic load rating (C)	1,06 kN
Basic static load rating (C0)	0,375 kN
Fatigue load limit (Pu)	0,016
Reference speed	– r/min
Limiting speed	19000 r/min

Calculation factor (f0)	7,3
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	0.005
EAN	7316577121844
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	7MM Bore; 17MM Outside Diameter; 5MM Outer Race Diameter; 2 Metal Shields; Ball Bearing; ABEC 1   IS
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	619/7 2Z
Weight / LBS	0.01
Bore	0.276 Inch   7 Millimeter
Outside Diameter	0.669 Inch   17 Millimeter
Outer Race Width	0.197 Inch   5 Millimeter
d1 ≈	10.4 mm

D2 ≈	14.3 mm
r <sub>1,2</sub> min.	0.3 mm
d <sub>a</sub> max.	9.7 mm
Basic dynamic load rating C	1.06 kN
Basic static load rating C <sub>0</sub>	0.375 kN
Fatigue load limit P <sub>u</sub>	0.016 kN
Calculation factor k <sub>r</sub>	0.02
Calculation factor f <sub>0</sub>	7.3
Mass bearing	0.0049 kg