

INA PCJ2 bearing units

Can't find what you're looking for? 0.0 Inventory Our expert Representatives be in contact with you shortly!

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	364.299
EAN	7316576658075
Product Group	B04311
Internal Clearance	C0-Medium
Mounting Method	Shaft Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Straight
Cage Material	Bronze
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	Not Applicable
Withdrawal Nut	Not Applicable
Inch – Metric	Metric
Long Description	360MM Straight Bore; 650MM Outside Diameter; 232MM Width; C0-Medium Clearance; Shaft Mount; Double R
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing

Keyword String	Spherical
Weight / LBS	803.143
B	232 mm
d	360 mm
Adapter Part Number	Not Applicable Inch Not Applicable Millimeter
D	650 mm
bore diameter:	360 mm
closure type:	Open
outside diameter:	650 mm
lubrication hole type:	Holes on Outer Ring
overall width:	232 mm
operating temperature range:	392 Degrees °F
bore type:	Straight
cage material:	Bronze
outer ring type:	Not Split
application:	Heavy Duty
internal clearance:	C0
series:	Spherical Roller 232 Series
d2 ≈	449 mm
D1 ≈	552 mm
b	22.3 mm
K	12 mm
r1,2 min.	6 mm
da min.	386 mm
Da max.	624 mm
ra max.	5 mm
Basic dynamic load rating C	5663 kN
Basic static load rating C0	8300 kN

Fatigue load limit P_u	570 kN
Reference speed	530 r/min
Limiting speed	750 r/min
Calculation factor e	0.35
Calculation factor Y_1	1.9
Calculation factor Y_2	2.9
Calculation factor Y_0	1.8
Mass bearing	335 kg