

# INA RASE1-3/16 bearing units

Advance INA RASE1-3/16 bearing units is your source for quality and 40 Bore Diameter (mm) accessories. shop online for home delivery or pick up in one of our 10000 .

Bore Diameter (mm)	40
d	40 mm
U	29,2 mm
Thread (Q)	M6
Z	100 mm
A	23 mm
A1	11,5 mm
B	49,2 mm
H	145 mm
J	120 mm
N	11,5 mm
S	2 mm
A2	1 mm
Weight	1,65 Kg
Basic dynamic load rating (C)	32,5 kN
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	1.976
EAN	4012802803921
Product Group	M06110
Number of Mounting Holes	4
Mounting Method	Set Screw

Housing Style	4 Bolt Round Flange Cartridge
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	11.5 Millimeter
Relubricatable	Yes
Insert Part Number	GYE40KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Pilot Configuration	With Pilot
Inch – Metric	Metric
Long Description	4 Bolt Round Flange Cartridge; 40MM Bore; 120MM Bolt Circle; 84.9MM Bolt Spacing; 1 Piece Solid; Set
Other Features	Single Row   Radial   Centering Spigot   Metric   With Grub Screw
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	RMEY40
Weight / LBS	3.638
Bore	1.575 Inch   40 Millimeter
Length Thru Bore	1.937 Inch   49.2 Millimeter
Nominal Bolt Circle Diameter Round	4.7 Inch   120 Millimeter
Bolt Spacing	3.3 Inch   84.9 Millimeter

Cartridge Pilot Depth	0.374 Inch   9.5 Millimeter
Cartridge Pilot Diameter	3.937 Inch   100 Millimeter