

# INA RCJ30-N-FA125 bearing units

Can't find what 0.2500 in d you're looking for INA RCJ30-N-FA125 bearing units ? Our expert 8 ° misalignment angle: Representatives be in contact with you shortly!

|                              |                            |
|------------------------------|----------------------------|
| d                            | 0.2500 in                  |
| radial static load capacity: | 2700 lbf                   |
| misalignment angle:          | 8 °                        |
| operating temperature range: | Max 250 °F                 |
| shank thread length:         | 0.7500 in                  |
| head diameter:               | 0.7500 in                  |
| rod end type:                | Female Threaded            |
| head width:                  | 0.2810 in                  |
| shank thread size:           | 1/4-28                     |
| ball width:                  | 0.3750 in                  |
| thread direction:            | Left Hand                  |
| length to ball center:       | 1.3120 in                  |
| grade:                       | Precision Aircraft         |
| overall height:              | 1.6870 in                  |
| thread type:                 | UNF-3B                     |
| series:                      | Heim®                      |
| lubrication type:            | Lubricatable               |
| manufacturer product page:   | <a href="#">Click here</a> |
| housing material:            | Carbon Steel               |
| Weight                       | 0.05 lbs                   |
| ball material:               | 52100 Alloy Steel          |
| manufacturer upc number:     | 637400154271               |

race material:

Brass